


SEPTEMBER 27

National Gay Men's HIV/AIDS Awareness Day



Gay and bisexual men accounted for about **23,100 (66%)** new HIV infections in 2019.*



Of gay and bisexual men who could have benefitted from medicine (PrEP) to prevent HIV, only **27%** of African Americans, **31%** of Latinos, and **42%** of whites used it in 2017.*

Gay, bisexual, and other men who reported male-to-male sexual contact, are disproportionately affected by HIV. Social and structural issues – such as HIV stigma, homophobia, discrimination, poverty, and limited access to high-quality health care – influence health outcomes and continue to drive inequities.

The Centers for Disease Control and Prevention (CDC) has more information on best practices and ways to effectively reach gay and bisexual men in your community.

Visit www.cdc.gov/stophivtogether/hiv-prevention/.

#StartTalkingHIV: Talk about testing, condoms, PrEP, and medicines that treat HIV. #NGMHAAD #StopHIVTogether



*www.cdc.gov/vitalsigns/hivgaybimen/index.html#infections. • This publication is supported by the Health Resources and Services Administration (HRSA) of the U.S. Department of Health and Human Services (HHS) as part of an award totaling \$1,203,478 with 0 percentage financed with non-governmental sources. The contents are those of the author(s) and do not necessarily represent the official views of, nor an endorsement, by HRSA, HHS, or the U.S. Government. For more information, please visit HRSA.gov. SEPTEMBER 2022